



DEHANCER DESKTOP

QUICK GUIDE

18 Mar 2026

First Launch	7
Downloading Film Profiles	7
License Activation	7
Color Spaces	8
Supported Color Spaces	8
Film and Print Color Gamut	9
Display Setup	10
Application Settings	11
License Activation	11
Film Profiles	12
Processing	12
Maintenance	12
Keyboard Shortcuts	12
Software Update	13
Experimental	13
Interface	14
Panels Management	14
The 'View' Menu	14
Keyboard Shortcuts	14
Browser	15
Navigating folders	15
Sorting and Filters	15
Selecting Photos	16
Image Context Menu	16
Image Preview	17
Browser Toolbar	17
Projects	18
Add photos to the project	18
Manage projects	19
Relink source	19
Editor	20
Non-Destructive Editing	20
Opening Photos	21
Filmstrip	21
Image Preview	22
Inspector: Histogram, Waveform and Clipping	22
Undo, Redo, Reset, Revert	23


Film Presets	24
Snapshots	25
Tools and Adjustments	26
Tool Profiles	27
Copy/Paste Edits	28
Export	28
Photo Editing Pipeline	29
RAW Settings	30
RAW Processor	31
Pre-Gain (LibRaw)	31
Preserve Highlights (LibRaw)	31
Auto Exposure (LibRaw)	32
Exposure (Apple, LibRaw)	32
White Balance (Apple, LibRaw)	32
Shadow Bias (Apple)	32
Boost (Apple)	32
Local Contrast (Apple)	32
Local Tone Map (Apple – ProRAW DNG)	32
Sharpness (Apple)	33
RAW Workflow Tips	33
If your camera is not supported	33
Crop	34
Crop Toolbar	34
Ratio	35
Perspective Correction	35
Crop Context Menu	35
Source	36
Color Profile	36
Exposure Comp.	36
Temperature Comp., Tint Comp.	36
Defringe	37
Source Lock	37
Film Profiles	38
Push/Pull (Ev)	39
Film Color Temperature and Source White Balance	40
Film Developer	41
Contrast Boost	42
Gamma Correction	42

Color Separation	42
Color Boost	42
Film Compression	43
Impact	44
White Point	44
Tonal Range	45
Color Density	45
Expand	46
Black and White Points	47
Color Mode	47
Print Media	48
Linear	49
Cineon Film Log	49
Kodak 2383 Print Film, Fujifilm 3513 Print Film	49
Kodak Endura Glossy Paper	49
Slavich Bromportrait BW Paper*	49
Film and Print Combination	50
Print Settings	51
Target White	51
Exposure (Ev)	51
Tonal Contrast	51
Color Density	51
Saturation	52
Analogue Range Limiter	52
CMY Color Head and Print Toning	53
Yellow – Blue, Magenta – Green, Cyan – Red	54
Gang	54
Shadows Tone, Midtones Tone, Highlights Tone	54
Preserve Exposure	55
Impact	55
Film Grain	56
Grain Profiles	57
Custom Settings	57
Film Type	57
Processing Mode	57
Size	57
Amount	57

Shadows, Midtones, Highlights	58
Film Resolution	58
Chroma	58
Halation	59
Halation Profiles	60
Custom settings	60
Source Limiter	60
Background Gain	60
Smoothness	61
Local Diffusion	61
Global Diffusion	61
Amplify	61
Hue	61
Blue Comp.	61
Impact	62
Mask Mode	62
Halation + Defringe	62
Halation + Bloom	62
Bloom	64
Bloom Profiles	65
Custom settings	65
Highlights	65
Source Limiter	65
Details	65
Diffusion	66
Amplify	66
Save Lights	66
Saturation	66
Impact	66
Mask Mode	66
Film Damage	68
Film Damage Profiles	69
Custom Settings	69
Dust Amount	69
Scale	69
Size Balance	70
White-Black	70
Dust Enabled	70
Hairs Amount	70
Scale	70

Size Balance	70
White - Black	71
Hairs Enabled	71
Scratches Amount	71
Scale	71
Size Balance	71
White - Black	71
Scratches Enabled	71
Total Amount	72
Global Period	72
Global Opacity	72
Global Chromaticity	72
Overscan	73
Gate Type	74
Gate Shape	75
Perforation Mode	75
Film Orientation	75
Scale	76
Lens Zoom	76
Offset X, Offset Y	76
Gate Defocus	76
Exposure	76
Flip	77
Vignette	78
Exposure	79
Size	79
Feather	79
Aspect Ratio	79
Position X, Y	79
Output	80
Total Impact	80
User Data and Backups	81
macOS	81
Windows	81
Uninstall	82
macOS	82
Windows	83

First Launch



Welcome to Dehancer Desktop!

After the installation, please find the new app in your **Applications / Programs** folder, or in the **Start Menu**.

On first launch, the operating system may ask permission to access files and folders – please allow it if prompted.

Downloading Film Profiles

When you open the app for the first time, you'll be asked to **download film profiles**.

You can always check for updates in the **Application Settings [S]**.

License Activation

To remove the watermark, get a **Subscription** at dehancer.com

Note: This product does not offer a lifetime purchase.

If you already have an active **Subscription**, open **Settings** and sign in with your Dehancer Account to activate your seat.

Color Spaces



Supported Color Spaces

Dehancer natively supports the following color profiles and pipelines:

sRGB IEC61966-2.1

AdobeRGB (1998)

ProPhoto RGB

Display P3

Beta RGB

+ embedded icc profiles

When opening a photo, Dehancer tries to extract the embedded profile and select the color space automatically. If it fails to for some reason, the default **sRGB IEC61966-2.1** profile is applied.


RAW photos are processed in **sRGB** and converted to your current display color profile for preview and export.

Normally, the Output space is the same as the Input space, if it matches the system color profile. All color transformations are performed automatically in a virtually unlimited internal space.

Film and Print Color Gamut

A fresh, properly developed color slide film may produce a vibrant image slightly wider than sRGB. However, it complicates scanning, display and printing on a typical analogue media, where the gamut does not exceed sRGB.

Usually, film emulation doesn't require the gamut wider than sRGB, due to the natural range of the print.



As you can see, there is no theoretical or practical benefits in a wide gamut color spaces for film emulation. You can use various color pipelines, but the extended gamut does not belong to the analogue media.

This does not prevent using modern screens and projectors with wide gamut and HDR support for viewing. With proper output adjustment, the film will look good. However, sRGB is generally sufficient for processing.

Display Setup

It is important that the color management is consistent throughout the entire processing and viewing pipeline.

1. Set your display to its native sRGB color gamut and gamma if possible.
2. Use the appropriate calibration profile built especially for your display.
Recommended settings:

Color gamut: sRGB

Gamma: 2.2 (pure power)

White point: 5500K (D55)

Luminance: 80-120 cd/m²

Black point: Native

You may prefer another supported working space, be it AdobeRGB or Display P3. In this case Dehancer reads your system color profile and applies the conversion to match color settings across the system.

On Mac you can use the **Internet and Web (sRGB) reference profile** provided with your modern **MacBook Pro**, **Apple Studio Display** and **Pro Display XDR**. This will not replace the hardware-assisted profiling, but is good enough for non-critical jobs.

On Windows system color management can be unstable. Display ICC profile may fail to load at system startup or be reset by automatic updates. Check display settings eventually.

If everything is set up properly, but the colors don't match, please [contact our support team](#)

Application Settings



To open **Application Settings**, click the **[Gear]** button on the toolbar, or press **[S]**.


License Activation

You can check your Subscription status here.

Press **[Activate Dehancer]** button to open the activation widget.

Sign in with your account and select a seat to activate Dehancer.


After activation, you can **[Manage Your Subscription]** in the same widget.



If you don't have a Subscription, press **[Pricing]** to choose a plan on the website.

Film Profiles

Hit the **[Update Profiles]** button to check and update film profiles at any time. The Dehancer Profiles widget will open and the profiles will be automatically downloaded and installed.



Processing

If your system has **multiple GPUs**, select the best-performing one.

[Prefer shared memory instead of GPU RAM] option may result in better performance with some specific configurations.

Maintenance

If you experience unexpected behaviour, enable the **[Dehancer Log]** checkbox, restart Dehancer, and wait for the issue to appear.

Then go to **Settings → Maintenance** and press **[Open Log Folder]** to locate the log file and attach it to your bug report.

Keyboard Shortcuts

View the complete list of keyboard shortcuts specific for your OS.

Software Update

Here you can find your current version and available updates, including Beta (if checked on). Also, you can visit the [Downloads](#) section on our website.

Experimental

This section includes experimental settings. Please use them carefully and avoid depending on these beta features for critical work.

We'd love to [hear your feedback](#).

1. Default RAW Processor

You can set the default RAW Processor from the list of frameworks available for your operating system.

This setting does not affect photos that have already been edited.

2. High resolution Inspector

Enables high resolution rendering of the visualizations like Histogram or Waveform.


3. Prefer 8-bit processing for RAW and high-bit-depth images

You can slightly improve the performance by forcing 8-bit input processing for 16-bit sources, with virtually no visible quality loss in most cases.

Interface

We designed Dehancer to be simple and intuitive, but you still have a few options to configure in your workspace.

Panels Management



Show or hide panels using the buttons on the toolbar or with the keyboard shortcuts for your OS.

Press **[F]** to show or hide all panels and maximise the preview or the thumbnails area (works in Browser and Editor).

Collapse or expand any panel by clicking its header.

The 'View' Menu

[Refresh] or **[Cmd/Ctrl + R]** to re-read current folder. When you add or delete photos outside of Dehancer, thumbnails may need to be updated.

[Square Grid] shows square previews.

[Proportional Grid] shows thumbnails in their original proportions.

[Show Thumbnail Info] shows the image information in thumbnails.


[Show / Hide Status Bar] enables or disables the status bar with file information and film profile (available in Browser and Editor).

[Show Tooltips] displays short hints for most interface elements.

Keyboard Shortcuts

Open **Application Settings → Keyboard Shortcuts** to view the full list of Dehancer shortcuts specific for your OS.

Browser



Navigating folders

Dehancer starts with **Browser**.

Pick any folder in the tree to preview its contents.

Add frequently visited folders to **Favorites** with the **[Heart]** button in the panel header, or with the context menu.

Click the **[Favorites]** tab to show your favorite folders.

Sorting and Filters


Sort thumbnails by Name, Date, or Rating, ascending or descending.

Dehancer supports **JPEG**, **TIFF**, **PNG**, and **RAW** photos.

You can **filter images by file type** to differentiate RAW from other formats.

Rate photos with keys **[1] ... [5]**, click the stars on a thumbnail, or use thumbnail context menu.

Filter images by Rating (multiple selection is possible).



Selecting Photos

Click photo thumbnail to select it.

[Cmd/Ctrl + Click] to add photos to the selection.

Click the first photo, then [Shift + Click] the last one to select a range.




Image Context Menu

Right-Click selected photos to open the context menu where you can access many useful image actions like **Edit**, **Copy/Paste Edits**, **Export**, **Add to Project**, **Set Rating**, etc.

Image Preview

Press [Space] to preview a photo in fullscreen.

Zoom In and Out with [+] or [-] keys, by **double clicking** the image or with the mouse wheel.

Press [0] to fit image to the screen.

Set a rating with [1]...[5] keys or click the stars.

Use the arrow keys [←] [→] [↑] [↓] to navigate between images in the current folder or project.

Browser Toolbar



Click this button to **Open Settings**, or press [S].



Export selected photos. In the Export Settings dialogue you will be able to select destination folder and file format.



Enable/Disable Dehancer film emulation on the thumbnails and on the fullscreen preview.

Projects


Use **Projects** to organize your photos and sessions.


Think of a project as a *virtual folder* where you can place selected photos while keeping the source files untouched.

This saves disk space and allows you to create virtual duplicates. A single photo can belong to multiple projects – and each instance will have its own independent edits.

Add photos to the project

Add selected photos to the existing or a new project using the thumbnail context menu in Browser.





Manage projects

Open the **[Projects tab]** to view, edit and manage your projects.


Use the project context menu to **Edit, Export, Rename, Clone or Delete** selected project.

Relink source

If you delete a source file in Browser or outside of Dehancer, this photo becomes unavailable in projects.

You can use the **[Relink]** command from the thumbnail context menu.

Editor



Non-Destructive Editing

Dehancer features **non-destructive editing**. The source file remains untouched, and all edits are stored in the application library when you click **[Apply]** or press **[Enter]** in Editor.

This allows for **virtual duplicates** – one photo can belong to multiple projects, and each instance will have its own independent edits.

Opening Photos

You don't need to import photos in Dehancer and blow-up cache files. Just navigate folders in the Browser or open files from Finder file menu.

To open single photo, press [Enter] or double-click the image thumbnail.

To open selected images, click [Edit] in the image context menu.

To load the entire project in Editor, select [Edit] from the project context menu.

To open a photo from your OS, drag a file onto the application icon, or use the [Open with...] command from the system context menu.

Filmstrip



Click the button to **Show/Hide the Filmstrip**.

Filmstrip allows you to navigate multiple photos with arrows [←] [→] or with horizontal scroll.

In the context menu you can **Add Snapshots, Copy/Paste Edits, Apply to Filmstrip and Export**.




Image Preview



Toggle Before/After image preview.



Zoom image to 100% pixel size.



Zoom image to fit the preview area.

Inspector: Histogram, Waveform and Clipping




[Inspector] button enables the **Histogram** or **Waveform** visualisation for RGB and Luminosity channels.



The [Clipping indication], shows underexposed shadows and overexposed highlights for 0-5 and 250-255 range.

There are 3 inspector modes available in the **context menu**:

Histogram shows the amount of pixels with each luminance value, from the shadows to the highlights.



Waveform shows the equivalent luminance values across the frame, from left to right.

Parade shows the waveform preview for individual RGB channels.

Undo, Redo, Reset, Revert

The editing history is stored for the current editing session. Once the Editor is closed, the last image state is saved.



Reset all settings and disable all tools, including film and print profiles.




Revert to the initial settings from the start of the current editing session.



Undo last edit.



Redo last edit.



Film Presets

There are dozens of film presets bundled with Dehancer, and you can make your own.

Presets are a more general concept than just film profiles, including print media, effects and adjustments.

You can **filter films by type**, **sort by name** or **by date**.


Explore preset groups:

Dehancer™
Favourites
My Presets
Imported

Create, Import, Export, Add to Favourites and Delete presets with the panel buttons.

In the context menu you will find more actions, like **Apply to Filmstrip**, **Rename**, or **Rewrite** with current edits.

For bigger previews, select **[Large thumbnails]** in the **[View]** menu.



Snapshots

Every photo can have the **Snapshots** – grading versions, ‘local presets’ for this particular image.

For example, if you want to try different films, just save current settings as a **Snapshot**, and create additional snapshots at the key points when major adjustments are made.

Every snapshot contains the complete look, including RAW Settings.

To create new snapshot, click the **[+]** button on the panel, use the **image context menu**, or press **[S]**.

Click any snapshot to **Apply Edits** to the current photo.

Tools and Adjustments

Each panel section contains controls for a specific tool or feature set. You can collapse or expand any panel by clicking its name.

Common controls are located in the panel header:



Use the checkbox to **enable or disable any tool**.

There is no checkbox on the Source panel, as source corrections are always applied.



The [**Revert**] button resets all tool parameters to their default values.




The [**Lock**] button in the **Crop, Source, Film Damage and Overscan tools** preserves corrections when switching presets or snapshots.



Double-click any slider to **Reset** it to its default value.

Tool Profiles

Several effects have a drop-down list of **Tool Profiles** making them much easier to use. Tool Profiles are sets of pre-configured parameters designed to recreate the typical look of different film formats.



To adjust any tool profile, first select the one that fits best, then switch to **Custom** mode.

All parameters will become available, and their values will match the last selected profile.

More detailed information on Tool Profiles:

[Film Grain](#)

[Halation](#)

[Bloom](#)

[Film Damage](#)

→ Related article:

[Dehancer Tool Profiles](#)

Copy/Paste Edits

You can **Copy/Paste Edits** in the image context menu (in Browser, Filmstrip and the Preview) or with the shortcuts:

Copy Edits – [Shift + Cmd/Ctrl + C]

Paste Edits – [Shift + Cmd/Ctrl + V]

The image state recalls all parameters and adjustments, including **RAW** settings.

Export



Press the **[Export]** button on the toolbar to export selected images.

In Editor, you can **Export Current Image** or **Export all Filmstrip Images**. Also you can **Export the entire project** via the project context menu.

In the Export Settings dialogue:

1. Check the files summary.
2. Select destination folder. **If a file with the same name exists in the target folder, a unique filename is generated automatically to keep both files.**
3. Choose file format and quality.
4. Click **[Start Processing]** to render your batch.


JPEG 100% is a virtually lossless setting that is sufficient for any application unless additional editing is planned.

TIFF is a truly lossless format used for archival storage, when further editing may be required. Usually, **16-bit** is unnecessary, however, we provide this option for critical work. When exporting to **8 bits**, lossless LZW compression is applied automatically.

Photo Editing Pipeline

1. Preview, rate, sort and filter photos in **Browser**.
2. **Select** one or multiple photos.
3. You can open selected photos in **Editor** or **Add to the Project**.
4. If you prefer shooting in RAW, you can adjust **RAW Settings**.
5. The original image may still have some deviations, which can be adjusted with the **Source Corrections** tool.
6. Use the **Crop** tool to frame and align your shot.
7. Select your favourite look in **Film Presets**. You can switch between the presets with [↑] and [↓] arrows.
8. The **Push/Pull** setting in the **Film** tool allows to further adjust the profile appearance depending on film exposure.
9. You can change the **Print Medium**, adjust Exposure, Contrast, and other **Print settings**.
10. Enable the **Analogue Range Limiter** to get the real contrast of print media and get a softer image with more shadow and highlight detail.
11. Use the **Expand** tool to set the black and white points.
12. **CMY Color Head** is a perfect tool for creative adjustments of print white balance and split toning.
13. Factory presets contain **pre-adjusted film effects**. Some effects may not be enabled by default, like **Overscan** and **Film Damage**.
14. Use **Snapshots** to store and manage multiple grading versions.
15. Click **[Apply]** to save the actual state of all photos loaded in Editor.
16. If you click **[Close]** or **[Esc]**, you will be prompted to save or discard the last edits.
17. Click the **Export** button to export all photos loaded in Editor or selected in Browser/Projects.

RAW Settings



Standardisation of cameras is a topic of debate.

While camera JPEG has its own style, RAW is considered neutral and ‘unprocessed’, but in modern cameras it also varies in color, contrast, latitude, and post-processing, like noise reduction, tone mapping, HDR, local contrast, lens correction, etc.

In Dehancer RAW support is under active development.

We aim to give you a neutral look and sufficient headroom for processing, while allowing to select from multiple frameworks and to adjust some key parameters.

RAW Processor

Dehancer relies on multiple RAW frameworks for better camera support and gives you the flexibility to choose the best interpretation.

You can select from the list of RAW processors available for your operating system. Both the image rendering and adjustments set will be different. For example, Apple provides a more vibrant image by default, while LibRaw exhibits technical precision, sometimes revealing unpleasant truth about your files.

We don't provide any controls over the demosaic algorithm. The frameworks are tuned for a balanced image, without visible artifacts like noise reduction, sharpening or moire. Notice that in Dehancer the image structure is defined mostly by the Film Grain.

You can select the default framework for newly opened files in the **Application Settings → Experimental**

RAW Settings are stored with each photo and included in snapshots, but they are not included in presets.

The set of RAW settings depends on the selected RAW processor. We have included the most significant ones in the application interface. Below is a complete list of adjustments, which are available in various frameworks.

Pre-Gain (LibRaw)

Digitally pre-amplifies the signal to compensate for underexposure. In many cases, Pre-Gain performs better than Exposure Compensation in Source, since it works with unprocessed sensor data.

Preserve Highlights (LibRaw)

Some photos require extra headroom. This adjustment preserves highlight detail and provides better source for film emulation.

Auto Exposure (LibRaw)

This option is enabled by default and lets the framework set the exposure automatically. Disable to adjust the exposure manually.

Exposure (Apple, LibRaw)

In different frameworks, exposure in RAW can be implemented in different ways and produce different results. Use this parameter to correct the most severe deviations.

White Balance (Apple, LibRaw)

Select **[As Shot]** when the on stage white balance looks acceptable, then fine-tune the look using Color Head.

For serious deviations, try **[Auto]** or **[Custom]**.

In **Custom** mode the **[Temperature]** and **[Tint]** controls are enabled.

Shadow Bias (Apple)

Use this adjustment to control shadow detail.

Boost (Apple)

The contrast curve is applied to the photo by default. Reduce it to obtain a softer image and simplify further processing.

Local Contrast (Apple)

Local contrast reveals the texture of the image. Unlike Sharpness, it acts with a larger radius and affects the overall clarity.

Local Tone Map (Apple – ProRAW DNG)

This is a comprehensive post-processing parameter that affects the distribution of contrast between local areas of the image. By reducing this value, you can obtain a more ‘honest’ but more difficult to process image.

Sharpness (Apple)

Controls the amount of unsharp masking effect applied to the image.

RAW Workflow Tips

RAW Settings are not included in the presets. When you switch presets, it's convenient to keep RAW adjustments with the image, providing a normalised source.

Use the **Snapshots** to store the complete editing state, including RAW Settings.

If your camera is not supported

If your RAW format is not supported yet, or for some reason you are not satisfied with the results, there are workarounds:

1. Try alternative RAW Processors

In Dehancer you can select from the list of RAW Processors available for your operating system.

2. Convert to DNG

Convert unsupported photos to DNG using the Adobe DNG Converter. This preserves the source data and makes it readable for Dehancer.

3. Use third-party RAW software

You can pre-process your images in any other RAW software at your taste. Normalise the look, use the normal contrast curve, avoid clipping, disable sharpening and export as sRGB, TIFF 16 bit.

Apple ProRAW DNG is not a traditional RAW with a Bayer mosaic. Here, exposure and other adjustments are applied as a post-correction to the processed bitmap image. However, it delivers predictable results, and technically can be better than the Source correction.

Crop

The Crop panel is located below the RAW Settings, as cropping is applied after RAW processing.

Crop adjustments are saved with photos in the library, but are not included in presets or snapshots, so you can change film looks without affecting the crop.

Crop Toolbar



Press the **[Crop Overlay]** button to show / hide the crop frame interface.

Move the frame handles to adjust the crop.

Hold **[Shift]** key to crop from center.


Drag outside the frame to **rotate** the canvas.

Click the **[Crop Overlay]** button again, or press **[Enter]** to **apply** crop.

When the Crop overlay is active, Dehancer emulation is temporarily disabled.



[Rotate 90°] button rotates the photo clockwise in 90° increments.



[Reset] button resets the crop to its original state.



[On/Off] checkbox enables or disables the crop tool.

Ratio

Choose a ratio from the list or enter a custom values.

Use the **[Swap]** button to switch between Portrait and Landscape orientation.

Perspective Correction


Use the **Perspective H** and **Perspective V** sliders to correct horizontal and vertical perspective.

Crop Context Menu

When the crop overlay is active, some extra options are available in the **preview area context menu**.

Select the **3x3** or **9x9** grid, or disable the grid overlay.

Reset the crop frame, rotation, or perspective correction **individually** without affecting the other parameters.



Source

The Source settings and corrections are designed to fix technical issues of the image (no creative adjustments here).

Color Profile

Dehancer currently supports source images in the following color spaces:

- sRGB IEC61966-2.1
- AdobeRGB (1998)
- ProPhoto RGB
- Display P3
- Beta RGB

We try to extract the embedded color profile information from the image and automatically select the detected color space. If it fails to for some reason, the default sRGB IEC61966-2.1 profile is applied, or you can set it manually.

Exposure Comp.

This setting can be used to compensate for the exposure errors of the source media. This is a technical correction that applies before film and print profile.

Print Exposure, on the other hand, is a creative tool, where the outcome depends on Print Media selection, Exposure and Tonal Contrast settings.

Temperature Comp., Tint Comp.

Use these adjustments to compensate for strong deviations of the white balance and prefer CMY Color Head for creative adjustments.

Defringe


Defringe helps reduce chromatic aberrations along high-contrast edges that may interfere with Dehancer effects such as Halation and Bloom.

In some cases Defringe may introduce visible halos around the edges. Lowering the Defringe **Amount** and **Radius** helps to deal with this issue.

Source Lock

Normally, applying a film preset or image snapshot replaces all adjustments, including the source correction.

But sometimes it's convenient to preserve these adjustments when switching presets or snapshots, so you don't have to redo them each time.



Click the **[Lock]** button to keep source corrections intact when changing presets or snapshots.

Film Profiles



Film is the heart and soul of Dehancer.

Each film is carefully shot, developed, optically printed, and precisely sampled with all its unique characteristics. Simply scroll through the list and try different films. And don't forget to adjust Expand and Print if needed – films vary in contrast and tonal range.

→ Related articles:

[How we build film profiles](#)

[What is Push/Pull and how it works?](#)

[Modern motion picture color negative films](#)

[Complete list of Dehancer film profiles](#)

Push/Pull (Ev)



Various films respond differently depending on how much light they receive.

Underexposed or overexposed film requires **Push/Pull processing** – the development and print corrections.

Each film profile is built using **3 separate film exposures**, printed and sampled individually.

On negative films, Push/Pull affects color and contrast.

On positive films, Push/Pull directly affects film exposure.

[Svema Type-42 \(Exp. 1991\)](#)

BW negative film profile, printed on Bromprotrait BW paper

Film Color Temperature and Source White Balance

When creating film profiles, we light the color target with the reference light source with the color temperature specified by the film manufacturer. Daylight films are shot under 5500K, while Tungsten emulsions require 3200K incandescent bulbs. This ensures neutral color reproduction at capture.

During optical printing, white balance is further refined using color filters in the enlarger, bringing neutrals precisely to the reference point.

As a result, all film profiles are technically designed for source images with a neutral white balance.

If needed, you can fine-tune the source using **Temperature Comp.** and **Tint Comp.** in the Source tool.

Tip 1: We optically print negative B&W films on the famous Slavich Bromportrait paper known for its noble warm tone. For pure black and white, you may set the Saturation = 0 in Print. Also try CMY Color Head to adjust tint and split-toning at your taste.

Tip 2: There is no dedicated Opacity control for Film Profile by technical reasons but mostly by design – one cannot shoot ‘halfway’ on film.

Film Developer



The conventional analogue approach makes it possible to process film by individually configuring the formula of the developer solution and the development process.

The **Film Developer** tool lets you create your own development recipe and solve practical tasks:

1. **Grade photos with undefined gamma, contrast, or color profile** (images from unknown sources).
2. **Compensate excessive or insufficient source contrast** to make it more flexible for further processing.
3. **Color Boost increases overall saturation** in the analogue way, with natural color relations.

→ Related article:

[Film Developer – a new Dehancer tool](#)

Contrast Boost

This parameter controls the developer contrast. In analogue processes, development contrast is determined by developer temperature and concentration. In Dehancer this parameter can take both positive values (contrast increases) and negative values (contrast decreases).

Gamma Correction

In film processing gamma correction controls the contrast ratio of a negative, in relation to the exposure time. This parameter determines how much the midtones are shifted towards shadows or highlights. Gamma correction is possible with any Contrast Boost value other than zero.

Color Separation

The color separation of the negative film is determined by the color filters in the emulsion layers, the sensitisation of each layer and their order. In Dehancer you can control the 'chemical component' of the developer, which affects the sensitisation of the emulsion layers.

When Color Separation value is reduced, saturation of the most intense colors is reduced first, while medium and low saturation colors remain almost unaffected.

By default, the Color Separation setting has a maximum value of +100. It affects the image at any Contrast Boost value other than zero.

Color Boost

Some color development processes allow saturation to be controlled by the properties of the dyes that are introduced into the emulsion at the development stage. In Dehancer, this feature is implemented in the Color Boost parameter, which increases or decreases the overall saturation of the image (not only the most saturated colors, as with Color Separation). This type of color enhancement is gentle and does not lead to clipping, i.e. all colors remain inside the color gamut.

Film Compression



Usually on a negative film, clipping in the highlights occurs much later than on a digital camera.

To emulate the film-like compressed tonal range, we invented the **Film Compression tool**. It lets you fine-tune the redistribution of the highlights. The resulting image looks more analogue and becomes more flexible for further manipulation with exposure, contrast, film/print profiles, etc.

→ Related article:
[Film Compression — new Dehancer tool](#)

Impact

This parameter determines the degree of compression.

The higher the Impact value, the more the highlights are pushed towards the midtones.

White Point

The White Point parameter defines the ‘film clipping threshold’, and directly affects contrast because it determines the steepness of the transition to the clipping area. As the white point gets closer to the midtones, the more contrast the image appears.

By default, White Point = 100. This means that it stays at its initial position.

The White Point can be lowered, thereby increasing the overall contrast of the compressed range. The minimum possible value is 50. The lower the White Point is, the more likely clipping will occur in the highlights.

Alternatively, the white point value can be increased. In this case, the overall contrast of the compressed range is reduced. The maximum possible value is 120. The higher the White Point is, the more flat and grayed the highlights appear.

Tonal Range

This parameter represents the width of the tonal range affected by Film Compression tool. A minimum value = 0 means no compression. A maximum value = 100 means that the compression affects the wide range from the brightest highlights almost all the way down to the deepest shadows.


Color Density

Different films reproduce color differently as they get closer to the highlights. Negative films tend to noticeably loose saturation in the highlights. Slides remain more vibrant, even though the clipping occurs earlier.

The Color Density parameter controls the color intensity of the compressed range. Color Density = 0 produces the lowest saturation in the highlights, which is more typical for negative films. Color Density = 100 provides maximum saturation, and the image looks more like positive films.

Tip: Although the Film Compression tool is not designed to restore highlights lost in the source file, you can still use it effectively to make the highlights more textured, and smooth out the clipping.

Expand



All films naturally differ in contrast and in their black and white points. At the sampling stage, we avoid digital correction in order to preserve each film's individual characteristics, ensuring a faithful and convincing emulation. As a result, Dehancer film profiles may appear low in contrast by default, but they retain plenty of headroom for creative adjustment.

The Expand tool provides separate manual controls for the black and white points in relation to the output color space.

We recommend adjusting Expand after film preset selection.

Black and White Points

Set the black and white points to 'fit' an image into a dynamic range of your output color space. It also enhances visual contrast and punch.

You will probably revisit this tool several times after making image adjustments with other tools.

Color Mode

The Color Mode option can be useful if you encounter unwanted color shift or oversaturation. In the Luma mode Expand affects only the luminance component of an image, but does not affect its color, so the changes in contrast have no effect on the saturation.

Tip: If your source doesn't have enough headroom for Expand adjustment, try to enable the Analogue Range Limiter checkbox in the Print toolset which gives more 'relaxed' extremes.

Also you can use Film Compression tool to eliminate clipping and make the highlights more textured.

Print Media



The real media defines the artifact from the evidence. A print can be exhibited, a positive can be projected.

But the negative is not a piece of art yet, and scanning software does not reproduce the analogue reversal process properly. Negative is made for printing.

For many years, **Kodak Endura Paper** was the standard for color prints. We have printed negative films to capture all film and media characteristics.

Analogue cinema relies on screen projection. There are two legendary **Print Films** in Dehancer – **Kodak 2383** and **Fujifilm 3513**.

BW negatives are printed on **Bromportrait BW Paper** with its warm tone, characteristic contrast and texture.

Each print media is a powerful creative tool, having its character, color and latitude. We carefully preserve this heritage.

→ Related article:

[Print Film Profiles in Dehancer](#)

Linear

Only a 'pure' profile of a selected film is used, without the influence of the characteristics of photographic paper.

Cineon Film Log

Selected film is 'printed' into **Cineon film scan format**. This parameter also makes it possible to 'print-out' negatives outside Dehancer.

Kodak 2383 Print Film, Fujifilm 3513 Print Film

Selected film is 'printed' onto **Kodak Vision Color Print Film 2383** or **Fujicolor Positive Film Eterna-CP 3513DI**.

Kodak Endura Glossy Paper

Selected film is 'printed' onto **Kodak Endura Premier Glossy Paper**.

Slavich Bromportrait BW Paper*

We optically print BW negative films on this wonderful paper with expressive texture and noble warm tone.

You can set **Print / Saturation = 0** to get pure black & white.

Film and Print Combination

It's generally best to follow the analogue pipeline when choosing a print medium if you need an authentic look. Try these combinations for best results:

Color negative films	Kodak 2383 Fujifilm 3513 Kodak Endura Glossy Paper
BW negative films	Slavich Bromportrait BW Paper*
Positive films Instant films Exotic processes	Linear

* For technical reasons, Slavich Bromportrait BW Paper appears in the interface under the name of Kodak Endura. We hope to fix this in the updates.

Experimentation is welcome. You know, almost anything is possible in a real darkroom. For example, you can create an intermediate negative duplicate from a positive film frame, then print it on photographic paper or print film. All you need is a slide duplicating device, a color enlarger and print development.

Print Settings

Relying on our experience in optical printing and our research into the psychophysiology, we have developed the dedicated print settings that faithfully reproduce the analog processes:

Target White

Only available when **Kodak 2383 Print Film** or **Fujifilm 3513 Print Film** is selected. Allows to adjust the temperature of the printing light source in the 5500-6500 K range.

Exposure (Ev)

The Exposure tool is based on characteristic curves of optical prints. With the analogue approach to the exposure correction it naturally affects the image contrast too. This parameter is measured in the exposure value steps (Ev).

Tonal Contrast

The Tonal Contrast tool inherits a nonlinear nature of analogue processes. Increase the value to give more punch or apply negative correction to visually ‘soften’ an image. Notice that changing the contrast also visually affects the exposure, which is also typical for analogue media.

Color Density

Traditional ‘digital’ saturation affects all hues equally and linearly. On the contrary, the Color Density tool provides perceptual saturation control, i.e. it affects aesthetically significant colors in a higher degree.

Color Density can be used to quickly solve many specific problems – for example, to mitigate oversaturated accents or emphasise meaningful colors without painstaking adjustment.

Saturation

This is a more "traditional" saturation control based on altering the chroma components in YCrCb space. This correction is available only in the reduction way due to the fact that oversaturation usually degrades the aesthetics.

Analogue Range Limiter

By default, Print adjustments work within the boundaries of the 'digital' contrast range. Black and white points are normalised to the digital brightness values of 0 and 100, respectively.

To obtain a softer image and improve the detail at the extremes of the tonal range, enable the Analogue Range Limiter which uses the uncorrected black and white point values as they were measured on the reference prints.

Tip 1: Even though Tonal Contrast uses sophisticated nonlinear compression, it may lead to some clipping at high values. If this happens, revisit Expand to set a more 'relaxed' cutoff for black and white points or enable the Analogue Range Limiter checkbox to get more headroom for processing. Also you can use the [Film Compression](#) tool to make the highlights more textured and smooth out the clipping.

Tip 2: To get a saturated and expressive image, we recommend starting with decreasing the exposure. You can adjust the Color Density to emphasise your colors. To significantly increase the overall saturation, use [Color Boost](#) in [Film Developer](#).

Tip 3: Some combinations of the print settings may produce colors falling out of the gamut, with visible artefacts, especially when Color Density is increased. In this case lower the contrast and saturation or try another film or print media profile.

CMY Color Head and Print Toning



Subtractive CMY Color Head is based upon the analogue color correction tool integrated in photo enlargers for optical printing.

The similar method is used in **Printer Lights** – a special device for optical movie printing to a positive film.

In **Dehancer Color Head** is represented with **3-axis CMY-RGB controls** and successfully combines both devices.



Related article:

[CMY Color Head – analogue correction for digital images](#)

Yellow – Blue, Magenta – Green, Cyan – Red

The effect of changing these parameters corresponds respectively to their labels.

Gang

Dehancer uses the real-life measured color filters values.

Thus, even with the identical adjustments in all three axis, the color changes are visible. For your convenience, we have provided the Gang checkbox, which allows changing all three filters at once.

Shadows Tone, Midtones Tone, Highlights Tone

In a general analogue sense, toning refers to giving a paper print or film positive additional tints that are not originally characteristic of a particular media combination. This technique is widely used to give a special character or atmosphere when the original film properties are insufficient.

In addition to the natural variations across the tonal range, a print can be intentionally colored in the shadows, midtones, or highlights.

Toning can be achieved using a variety of methods, including special processing, additional treatment, and printing methods.

In Dehancer, the toning control is based on split printing through color filters, with masking performed automatically.

You can control the color temperature separately within three equally quantised ranges – in shadows, midtones, and highlights.

Preserve Exposure

During the analogue printing the exposure is affected by color filters. Dehancer inherits this behaviour. When Preserve Exposure is set to 100%, it automatically compensates any exposure changes, introduced by the Color Head corrections.

Impact

This slider adjusts an overall impact of the effect, acting like 'opacity'.

Tip 1: Prefer the Color Head tool for creative adjustments, while leaving the Input Temperature and Tint compensation for strong WB deviations of a source material.

Tip 2: Setting the Preserve Exposure slider to zero results in exposure changes during color correction – just the way it does with the analogue printing process. This is an additional way to naturally change an image density in Dehancer.

Film Grain



On real film, grain isn't something applied on top of an image; it *forms* the image. In fact the photo itself entirely consists of grain.

Dehancer literally reconstructs the shot from within, using local color and brightness data combined with a detailed physical model of film emulsion.



Related article:

[How does film grain work in Dehancer OFX plugin](#)

Grain Profiles

We've created grain profiles for **8, 16, 35 and 65 mm**, each available in three versions: **ISO 50, 250 and 500**.

In order to change the parameters of any profile, you must first select the most suitable one and then switch to **Custom** mode.

All the usual effect settings will be available to you, and the parameter values will match the last selected profile.

Custom Settings

Custom settings let you fine-tune Film Grain any way you like.

Film Type

Negative – grain is more pronounced in the highlights, with slightly higher micro-contrast, typical for negative film.

Positive – uses a classic algorithm that produces softer grain, less visible in the highlights, characteristic of positive film.

Processing Mode

Analogue – the original grain model. Requires more processing power but delivers the most lifelike emulation.

Noise – a high-performance simplified grain model. Useful for dithering tasks (for example, reducing posterization), for low-resolution projects, and for draft exports.

Size

Controls the size of silver-halide granules. A higher value corresponds to a more photosensitive and therefore more granular emulsion.

Amount

Sets the total amount of generated grain, corresponding to the optical density of 'film'.

Shadows, Midtones, Highlights

Adjusts how grain is distributed across the tonal range by setting grain levels independently for shadows, midtones, and highlights. This helps match the texture of your scene or grading style.

Film Resolution

Usually the smallest image detail on film does not exceed the grain size.

Dehancer Film Grain accounts for this by design, and you can adjust the effect manually to mimic a specific film resolution or compensate for softness.

A value of 100 preserves the original sharpness of the source image. Lowering the Resolution results in gradual loss of detail, while an image becomes more blurred. A value of 50 represents detail balanced with the current grain size and amount.

Chroma

Grain chromaticity may vary on different films. This setting controls the saturation of the dye granules in film emulsion.

Tip 1: On the real film, grain can be found in both the deepest shadows and the lightest highlights. But it cannot be visible on pitch black or pure white – technically there's no detail in there. That is why **Film Grain naturally affects black and white points**, lowering visible contrast. **Expand** correction is recommended to regain the contrast.

Tip 2: If the grain still appears too strong, even with minimum Size and Amount, try lowering the **Shadows, Midtones, and Highlights** values, and use Film Resolution to counter excessive sharpness. Also you can try different grain types and processing modes.

Halation



Halation is the film emulsion effect visible as the local red-orange halos around the bright light sources, specular highlights and contrasting edges. Also, halation may produce a well pronounced red glare in the midtones, mostly affecting the skin tones.



Related article:

[Halation and its emulation in Dehancer](#)

Halation Profiles

There is **8 basic profiles** with average values for the main film formats that solve most creative tasks and provide a convenient basis for creative adjustments.

Each Halation profile has two versions – a standard emulsion and a film of the same format, but with the anti-halation layer removed (**No Remjet**). On films without remjet, Halation is usually excessively pronounced.

In order to change the parameters of any profile, you must first select the most suitable one and then switch to **Custom** mode.

All the usual effect settings will be available to you, and the parameter values will match the last selected profile.

Custom settings

The **Custom** settings allow you to configure Halation as you like:

Source Limiter

This setting defines the minimum light source brightness that is able to produce halation. The default value = 0 means that even the weakest source is able to produce halation. By increasing this value, you can cut the effect produced by low intensity lights.

Background Gain

This parameter sets the range of the background tones on which halation becomes visible. Default value allows halation to appear on most backgrounds. Decreasing this value eliminates the effect over the lighter ones.

Smoothness

This integral parameter controls the distribution of the halation effect between the large and small sources, visually smoothing smaller halation details. Increasing the Smoothness value reduces the effect around the point sources in favour of the larger areas. Setting the Smoothness to zero leads to the most detailed halos.

Local Diffusion

This parameter defines how far the light spreads in an 'emulsion'. The higher the Local Diffusion value, the larger the geometric size (radius) of the halos.

Global Diffusion

Global Diffusion controls the degree of the secondary glare produced by scattered light. This is a more global effect that affects mostly low-contrast midtones and also enhances the primary halation.

Amplify

It is important not to confuse this setting with the Impact as the Amplify affects the sensitivity of an 'emulsion' to the scattered light, not the opacity of the effect. Increasing the Amplify value makes the effect more pronounced and shifts the halation toward yellow hues.

Hue

This parameter modifies the sensitivity of the green layer of an 'emulsion' to the scattered light. Use this setting to better match halation hues to a scene in the wide range from cool reds to warm yellows.

Blue Comp.

Cool backgrounds usually dampen the halation. Blue Compensation allows to counterbalance this effect.

Impact

This parameter can be conventionally referred to as ‘opacity’, since it controls not the physical parameters of the emulation, but the overall transparency of the superimposed effect.

Mask Mode

This checkbox enables a special preview mode which allows you to better control the settings with the effect preview isolated from the source image.

Halation + Defringe

In some cases chromatic aberrations interfere with the Halation effect. Defringe tool helps to deal with this issue.

Halation + Bloom

Usually these effects coexist on film and mutually influence each other. Therefore, it is generally best to use Halation and Bloom in tandem to get a more accurate emulation.

Tip 1: Basic Adjustment

Halation effect is most pronounced when **Source Limiter** is at its lowest and **Background Gain** at its highest settings, with **Amplify** set to maximum. It can be a good starting point – just gradually reduce the effect until getting optimal results.

Tip 2: Enhance Portraiture

Increasing the Global Diffusion can be an instant solution to naturally enhance any portraiture, filling the skin tones with a touch of vivid warm glare. Increase Source Limiter to control the effect over the skintone range.

Tip 3: Mask Mode visibility

Mask visibility depends on the exposition and contrast of the image. If Halation appears too dim or invisible in Mask Mode, try to temporarily increase the Amplify and Impact values.

Tip 4: Simple way

There is a simple way to fine tune these effects:
Dial Amplify to max, adjust limiting and details, then lower Amplify to the reasonable value and the Impact slider to the desirable amount.

Bloom



Bloom emulates the combined effect of light dispersion along the boundaries of contrasting image areas – an effect that originates in the optical system and is then amplified in the emulsion layers.

Note that bloom has little in common with optical soft-effects: it appears only around light sources.

→ Related article:

[Bloom: what it is and how it works](#)

Bloom Profiles

To emulate the Bloom diffuse glow effect, we've created four versatile profiles for **8, 16, 35, and 65 mm** film formats. These profiles use average settings that capture the general character of each format.

To adjust any profile, first select the one that fits your image best, then switch to **Custom** mode. All Bloom controls will become available, and their initial values will match the last selected profile.

Custom settings

The **Custom** settings allow you to configure Bloom as you like:

Highlights

This setting acts as the 'sensitivity' of the effect and determines the brightness threshold at which bloom appears.

The higher the value, the wider the tonal range that produces blooming.

Source Limiter

Source Limiter cuts off unwanted blooming from the lower end of the tonal range defined by Highlights.

Details

Controls how the bloom is distributed between large and small light sources.

Increasing the value makes the effect more detailed and precise – right down to tiny point sources. Lower values produce a broader, more global glow across the frame.

Diffusion

Controls how far the bloom spreads from its boundaries.

The higher the Diffusion value, the larger the geometric size of the glow radius.

Amplify

Controls the overall strength of the effect by virtually ‘changing’ both the brightness of light sources and the diffusion properties of the emulsion.

Higher values make the effect more prominent.

Save Lights

Bloom affects not only surrounding areas but also increases the brightness of the light source itself.

In a digital pipeline, this may cause clipping. Save Lights protects highlights from possible clipping introduced by the Bloom effect.

Saturation

Bloom naturally inherits the hue and saturation of the light source. This setting allows you to reduce its saturation to your taste.

Impact

This parameter can be loosely described as ‘opacity’.

It doesn’t affect the physical parameters of the emulation, but controls the overall transparency of the superimposed effect.

Mask Mode

This checkbox enables a special preview mode that isolates the effect from the source image, giving you more precise control over the settings.

Tip 1: Basic Adjustment

The Bloom effect is strongest when Source Limiter is set low, Highlights high, and Amplify at maximum. It can be a good starting point – just gradually reduce the effect until getting optimal results.


Tip 2: Reducing halo artifacts

Sometimes with extreme settings Bloom may produce excessive halo-like artefacts. In this case try to increase the Save Lights, decrease the Amplify value and disable the Defringe tool.

Tip 3: Mask Mode visibility

Mask visibility depends on exposure and contrast. If Halation looks too faint in Mask Mode, temporarily increase Amplify and Impact to make it easier to judge.

Film Damage



Dust, hair, scratches, stains, and emulsion imperfections are inevitable on film. These defects are usually retouched in post-production. However, in some cases this 'dirt' enhances the sense of a natural medium and adds a feeling of authenticity and provenance.

→ Related article:
[Dehancer Film Damage](#)



Click the **[Lock]** button to keep Film Damage adjustments when switching presets or snapshots.

Film Damage Profiles

We've created profiles that represent the most characteristic defects of major photographic film formats. The smaller the film format, the larger the artifacts appear relative to the frame, and the more frequently they occur.

To **adjust any profile**, first select the most suitable one, then switch to **Custom** mode. All standard effect controls will become available, with parameter values inherited from the selected profile.

Custom Settings

The Custom settings let you fine-tune Film Damage to your taste.

The Film Damage tool is composed of several modules, each responsible for a specific type of artifact:

1. Dust

Dust Amount

Sets the total number of dust particles visible in the frame at the same time.

Scale

Controls the overall scale of the dust, acting as a single magnification factor for all particles.

Size Balance

Adjusts the ratio between small and large dust artifacts.

At the minimum value, only the smallest particles are visible; at the maximum, only the largest ones. Mid values produce a balanced mix of different sizes.

White-Black

Controls the balance between light and dark dust artifacts.

At the leftmost position, only light particles appear; at the rightmost, only dark ones. The middle position produces an even mix of both.

Dust Enabled

Enables or disables the Dust effect entirely.

2. Hairs

Hairs Amount

Sets the total number of hair artifacts visible in the frame at the same time.

Scale

Defines the overall scale of hairs — a single magnification factor applied to all particles.

Size Balance

Controls the distribution of hair sizes.

At the minimum, only the smallest hairs appear; at the maximum, only the largest ones. The middle position produces a balanced mix of different sizes.

White - Black

Adjusts the balance between light and dark hair artifacts.

Hairs Enabled

Enables or disables the hair artifacts entirely.

3. Scratches

Scratches Amount

Sets the total number of scratches visible in the frame at the same time.

Scale

Controls the overall magnification of scratches relative to the frame size.

Size Balance

Adjusts the proportion between small and large scratches.

White - Black

Scratches may appear light or dark depending on the production stage at which they were introduced. This control sets the balance between light and dark scratches.

Scratches Enabled

Enables or disables scratches entirely.

4. Global Settings

Total Amount

Adjusts the overall intensity of all artifacts at once, without the need to tweak each type individually.

Global Period

Film defects are irregular along the length of a roll. Global Period controls how often artifacts appear from frame to frame.

Lower values produce a more even distribution, while higher values create longer sections with more or fewer defects. At Global Period = 1, neighbouring frames have nearly the same amount of dirt.

Global Opacity

Controls the overall visibility of the effect by adjusting artifact transparency. It does not change the number of artifacts, only the optical density.


Global Chromaticity

Dirt interacts with light in complex ways, depending on transparency, thickness, distance from the film surface, the depth of damage of the emulsion layers and their exposure.

As transparency decreases, light artifacts tend to appear cooler (bluish), while dark ones become warmer.

Global Chromaticity controls the overall saturation. At the minimum value, all defects appear strictly black and white, regardless of transparency.

Overscan



Film is usually scanned with some extra area for further processing. This may include **interframe gaps, perforations, and parts of the previous and next frame.**

Normally, scans are cropped to the exposed area, but sometimes the information outside the film gate is intentionally preserved – a technique known as **overscan**.

We have implemented the most common formats, and future updates will expand the tool with additional gates, elements and formats.



Related article:

[Dehancer Overscan Tool](#)



Click the [Lock] button to keep Overscan adjustments when switching presets or snapshots.

Gate Type

The film gate type defines the film format and the camera used. The following options are available:

Super 8mm 1.33:1

Super 8 motion picture film with aspect ratio of 1.33:1 (4:3)

Standart 16mm 1.37:1

16 mm motion picture film shot in standard aspect ratio of 1.37:1

Super 16mm 1.66:1

Super 16 mm motion picture film with a 1.66:1 aspect ratio

Ultra 16mm 1.85:1

16 mm motion picture film shot in aspect ratio of 1.85:1

Super 35mm 1.37:1

35 mm motion picture film shot in standard aspect ratio of 1.37:1

Widescreen 35mm 1.85:1

35 mm motion picture film shot in widescreen aspect ratio of 1.85:1

Ultra Panavision 65mm 2.76:1

65 mm motion picture film shot in Ultra Panavision aspect ratio of 2.76:1

The **16:9** aspect ratio is not here, since it does not exist on the real film. The closest format is **Widescreen 35mm 1.85:1** with a frame pitch of 3 perforation holes (3 perf), and it is cropped to 16:9 with minimal loss.

Gate Shape

The shape of the film gate depends on the specific camera.

The most common options are:

Neat Normal – standard frame with slightly rounded corners

Neat Sharp – a frame with sharper corners with almost no rounding

Neat Rounded – a frame with the corners rounded to a large radius

OFF – Film Gate is disabled

Perforation Mode

The type of film perforation is represented by three options:

Negative, Positive, OFF

Negative scans are inverted, so backlit perforations appear black.

Positive film does not require inversion and preserves naturally white perforations. During postproduction they may be filled with the film base color – this behavior is emulated by the **OFF** mode.

Film Orientation

In cinema cameras film moves vertically through the film gate, while in most 35 mm photo cameras it travels horizontally.

In both cases, the camera may be rotated 90° while shooting, and the scan can later be rotated in postproduction so the scene appears correctly.

However, in both cases, you can rotate the camera 90 degrees while shooting. The film scan can also be rotated on postproduction so that the scene will have the correct orientation when viewed.

The **Landscape/Portrait** option lets you emulate both horizontal and vertical film movement while preserving the normal subject orientation.

Scale

Adjusts image scaling (crop) after scanning. Range: 0 to 100.

At Scale = 100, the film gate stays completely outside the visible frame.

Lens Zoom

Compared to the Scale parameter, Lens Zoom allows to zoom the scene inside the film gate, as if you were zooming the lens in or out while shooting.

At Lens Zoom = 100 (default), the image is zoomed in to cover the full film width, including the overscan area.

At Lens Zoom = 0, the image fits exactly within the Film Gate area.

Offset X, Offset Y

Sometimes after applying Overscan effects, you may want to reposition the image to better align it with the film gate.

Values of +100 and -100 shift the image by half of its width or height in the corresponding direction.

Gate Defocus

The sharpness of the frame depends on how tightly the film lies against the film gate, as well as on the camera type and its technical condition. In Dehancer you can adjust the amount of defocus from 0 to 100 conventional units.

Exposure

Depending on the backlight intensity and the exposure used during scanning, the halation effect along the perforation edges may appear more or less noticeable. The Exposure parameter adjusts the simulated scan exposure from -2 EV to +2 EV, allowing you to make the perforation edges either more pronounced or more subdued.

Flip

Normally, the layout of the perforations and the gate is determined by the film format and the technical standards of the camera and scanner. For creative purposes, however, the Flip option lets you mirror the perforations and frame horizontally without affecting the image itself.

Since Overscan uses several practical simplifications, it is more accurate to call it a **stylization rather than a true emulation**. For example, you can combine a Super 8 frame with 35 mm perforations. But it's not completely untrue to analogue.

Vignette



In lens design vignetting is usually considered a flaw.

Technically, yes. However, it's also a proven creative tool that allows for better focusing on a subject and adds extra depth.

Also, in digital processing vignette with positive exposure values can be used to compensate for unwanted vignetting.

In Dehancer, the vignette uses the same exposure function as the Print tool, so it behaves in a natural, analog-like way.

Although the Vignette tool is located at the very bottom of the Dehancer settings, we recommend to adjust it at the beginning of color grading, since it affects the exposure and usually increases contrast between the edges and a frame center, thus requiring additional adjustments of the exposure and contrast.

Exposure

Negative Exposure values result in dark vignette while positive values, respectively, produce the light vignette.

Size

This setting defines a size of the vignetting circle.

Feather

Feather controls the amount of blur applied to the vignette circle.

Aspect Ratio

This parameter affects the proportions of the vignette, allowing to make it elliptical (in both the X and Y directions).

Position X, Y

Specify the X and Y offset of the vignette center relative to the frame.

Output

Total Impact

The **Total Impact** slider controls the overall impact of all the effects engaged in Dehancer plugin.

Total Impact is not equivalent to opacity function as it properly reduces the amount of all the effects including those based on geometric transformation.

User Data and Backups

Application catalog, settings, favorites, user presets, and diagnostic logs are stored in the following folder and its subfolders:

macOS

`/Users/{user}/Library/Application Support/
com.dehancer.desktop`

On mac the Library folder is hidden by default. To access it, open Finder, press **[Cmd + Shift + G]**, type `~/Library` and click **[Go]**.

To unhide the Library permanently, open your Home (Username) folder, in the Finder menu select **View → Show View Options** and check the **[Show Library Folder]** option.

Windows

`C:\Users\{User}\AppData\Local\dehancer\
com.dehancer.desktop`

To backup or restore user data, simply copy and paste the files and folders manually.

Please note that Dehancer does not store source photos in the library, all image files remain in their original locations.

If a source file cannot be found, the photo will not be accessible in the catalog and projects. To fully restore your workspace after reinstalling the system or upgrading the computer, make sure your photos are placed in the same locations as before.

Uninstall

Warning, this action cannot be undone!

Dehancer will be uninstalled completely. User catalog, projects, presets, and snapshots, will be deleted. However, you can make a backup.

Original photos and exported images will not be affected.

macOS

1. Launch Dehancer, open **Application Settings → License Activation**, press **[Manage Your Subscription]** and **deactivate the license**.

2. **Backup your user data** (application settings, catalog, projects, user presets, and snapshots) if you plan to reinstall Dehancer later.

3. Delete the application folder:

/Applications/Dehancer Desktop.app

4. Delete the application container:

**/Users/{User}/Library/Application Support/
com.dehancer.desktop.v7**

5. Delete the user data container:

**/Users/{user}/Library/Application Support/
com.dehancer.desktop**

On mac the Library folder is hidden by default. To access it, open Finder, press **[Cmd + Shift + G]**, type **~/Library** and click **[Go]**.

To unhide the Library permanently, open your Home (Username) folder, in the Finder menu select **View → Show View Options** and check the **[Show Library Folder]** option.

Windows

1. Launch Dehancer, open **Application Settings → License Activation**, press [**Manage Your Subscription**] and **deactivate** the license.
2. **Backup your user data** (application settings, catalog, projects, user presets, and snapshots) if you plan to reinstall Dehancer later.
3. Open the **Add/Remove Programs** or **System/Apps/Installed Apps**. Find Dehancer Desktop, right-click and Uninstall.
4. Delete the application container:

C:\Users\{User}\AppData\Local\dehancer\com.dehancer.desktop.v7

5. Delete the user data container:

C:\Users\{User}\AppData\Local\dehancer\com.dehancer.desktop